

NINGBO BUY HIGH IMP. & EXP. CO., LTD.

Add: 2nd Fl C area, Yesgo Valley Building, No.11, Dongqianlake section,
Yinxian avenue, Yinzhou district, Ningbo city, Zhejiang province, China

Website: www.bhp-corp.com

Sales Director: Victor Yang

24hours mobile: 0086-189 5789 5988

E-mail: victor@bhp-corp.com



B&H PRODUCTS

Present The Best Home Products

QUICK Philosophy

Quality . Unique . Innovation . Concept . Knowhow



3 COLORS TEMPERATURE

5 DIMMER ADJUSTMENTS

2 USB CHARGING PORTS

**BLADELESS FAN WITH 3 LEVEL
SPEED & ILLUMINATION**

LED DESK LAMP SERISE

LED DESK LAMP

With Bladeless Fan

BH9066-D



BSCI RoHS CE

Technical specifications			
Material	ABS	Size	15*15*76cm
Input Voltage	100-240V	Power	10W
LED no	64pcs	Luminance	418-800LM
Color Temp	3000-5000K	NW	1.4KG
Pcs/inner		22*16.5*35cm	
Carton size		6pcs/ctn51.5*45.5*37cm	
NW/GW		8.6kg/9.1kg	
pcs/20°&pcs/40°CY		1800/4140pcs	



LED
&
NEW
PURIFIER



- 3 COLORS TEMPERATURE**
- 5 DIMMER ADJUSTMENTS**
- 2 USB CHARGING PORTS**
- 2 levels of air purifier**

LED DESK LAMP SERISE

LED DESK LAMP WITH AIR PUFIER

BH9069



BSCI RoHS CE      

TECHNICAL SPECIFICATIONS

Material	ABS	Size	15.2*16*69cm
Input Voltage	100-240V	Power	12W
LED no	56pcs	Luminance	450-850LM
lifespan	3000-6500hrs	NW	1.1KG
pcs/inner:1pc/box 22*16.5*35cm			
Carton size:6pcs/ctn 45.5*51*37cm			
NW/GW:6.6/9.8kgs			
Pcs/20&Pcs/40' CY: 1800pcs/4140pcs			



3 COLORS TEMPERATURE
5 DIMMER ADJUSTMENTS
2 USB CHARGING PORTS

LED DESK LAMP & BLUETOOTH FUNCTION



BH9068

Illumination
 Bluetooth 2.1
 Music player



BSCI RoHS CE FCC ENEC GS CCC

Technical specifications

Material	ABS	Size	Dia14.8*71cm
InputVoltage	100-240V	Power	11W
LED no	56pcs	Luminance	300-800LM
Color Temp	3000-5000K	NW	1.6KG
Pcs/inner			24.5*19.5*34.5cm
Carton size			6pcs/ctn51*60*36.5cm
NW/GW			9.6/13.2kgs
pcs/20'&pcs/40'CY			1296/2880pcs




3 COLORS TEMPERATURE

5 DIMMER ADJUSTMENTS

2 USB CHARGING PORTS

**BLADELESS FAN WITH 3 LEVEL
SPEED & ILLUMINATION**

TOUCH CONTROL RGB DECORATION LIGHT



LED DESK LAMP SERISE



LED DESK LAMP

With Bladeless Fan
RGB Decoration Light

BH9066-5

BSCI RoHS CE

Technical specifications			
Material	ABS	Size	15*15*76cm
Input Voltage	100-240V	Power	10W
LED no	64pcs	Luminance	418-800LM
Color Temp	3000-5000K	NW	1.4KG
Pcs/inner	22*16.5*35cm		
Carton size	6pcs/ctn 51.5*45.5*37cm		
NW/GW	8.6kg/9.1kg		
pcs/20'&pcs/40'CY	1800/4140pcs		

3 Colors temperature
5 level dimming
Alarm clock with snooze function
Led calendar
1.0A/2.0A USB output
thermometer

BH9045

Touch Control Swan Led Lamp With Calender
and 2 USB Ports



BSCI RoHS CE

Technical specifications			
Material	ABS+Silicon	Size	147*134*505mm
InputVoltage	100-240V	Power	10W
LED no	64Pcs	Luminance	800LM
Lifespan	40000hrs	NW	1.9KG
pcs/inner: 1pc/box 22*16.5*35cm			
Carton size:6pcs/ctn51.5*45.5*37cm			
NW/GW : 11.6/12.1kgs			
Pcs/20&Pcs/40' CY:1800/4140pcs			

LED Desk Lamp Series

BH8028A

Touch Control LED Lamp With Night Light
(3 Modes/5 Levels Dimmer/2 USB Ports)



BSCI RoHS CE

Technical Specifications			
Material	ABS	Size	13.5*16*72cm
Input Voltage	100-240V	Power	11W
LED no	64pcs	Luminance	450-700LM
Color Temp	3000-6500K	NW	1.6KG
pcs/inner : 1pc/box 20.5*17*40cm			
Carton size:6pcs/ctn53*42.5*42cm			
NW/GW :9.45/9.95Kgs			
Pcs/20&Pcs/40' CY: 1560pcs/3360pcs			



BH8001

Touch Control LED Table Lamp




TECHNICAL SPECIFICATIONS			
Material	ABS	Size	24.5*18.5*66.5CM
Input Voltage	100-240V	Power	12W
LED no	51pcs	Luminance	680-750LM
lifespan	50000hrs	NW	1.2kg
pcs/inner:1 pc/box 28*18*35CM			
Carton size:3pcs/ctn 57*30*37.5CM			
NW/GW : 7.1/7.7kgs			
Pcs/20 ' & Pcs/40 ' CY: 1260pcs/3072pcs			

LED Desk Lamp Series



BH9009 LED table Lamp

- Fiexible silicone arm
- 5 level dimming
- 12 pcs SMD LEDs
- DC 12V Power supply



Technical Specifications			
Material	ABS	Size	16.5*10.5*55cm
Input Voltage	100-240V	Power	5W
LED no	12pcs	Luminance	300LM
Color Temp	3000-6500K	NW	0.7KG
pcs/inner:1pc/box 17.5*11.5*25cm			
Carton size:6pcs/ctn 36.5*36*27cm			
NW/GW : 4.2/4.6kg			
Pcs/20 ' & Pcs/40 ' CY: 4536/9504pcs			

BH8026

LED Table Lamp



Technical Specifications			
Material	ABS	Size	D:140mm H:565mm
Input Voltage	100-240V	Power	5W
LED no	12pcs	Luminance	300LM
Color Temp	6500K	NW	0.83KG
pcs/inner:1pc/box 15*30*10.5CM			
Carton size:6pcs/ctn 31.5*33*32CM			
NW/GW : 5KG/5.5KG			
Pcs/20 ' & Pcs/40 ' CY: 4536PCS/11172			



BH9011

LED Table Lamp



Technical Specifications			
Material	ABS	Size	28*20*48CM
Input Voltage	100-240V	Power	8W
LED no	12pcs	Luminance	400-600LM
Color Temp	6500K	NW	0.8KG
pcs/inner:1pc/box 21.5*10*46CM			
Carton size:10pcs/ctn 44.5*31.5*48CM			
NW/GW : 6.0/6.5kgs			
Pcs/20 ' & Pcs/40 ' CY: 2500pcs/5200pcs			



5X Magnifying LED Reading Lamp
BH8006A



BSCI RoHS CE

Technical Specifications			
Material	ABS	Size	26.8*22.7*160cm
Input Voltage	100-240V	Power	5W
LED no	36pcs	Luminance	230LM
Color Temp	6500K	NW	1.83KG
pcs/inner:1pc/box 37*13.5*51CM			
Carton size:10pc/box53*40*30cm			
NW/GW : 10/10.7kg			
Pcs/20' &Pcs/40' CY:920pcs/1900pcs			



BSCI RoHS CE

Technical Specifications			
Material	ABS	Size	109*105*260mm
Input Voltage	100-240V	Power	3W
LED no	18pcs	Luminance	300LM
Color Temp	6500K	NW	0.16KG
pcs/inner:1pc/box 17.5*11*23.5CM			
Carton size:6pcs/ctn48.5*36*35CM			
NW/GW :5.5/6.0kgs			
Pcs/20' &Pcs/40' CY:11000pcs/22700pcs			

BH8004
3X Magnifying LED Lamp with USB



BSCI RoHS CE

Technical Specifications			
Material	Aluminum	Size	11.5*8*90CM
Input Voltage	100-240V	Power	3W
LED no	12pcs	Luminance	300LM
Color Temp	6500K	NW	0.39KG
pcs/inner:1pc/box 19.5*8.5*26CM			
Carton size:10pcs/ctn 27*40*54CM			
NW/GW :4.7/5.2kgs			
Pcs/20' &Pcs/40' CY:5760pcs/12000pcs			

BH7021
LED Desk Lamp



BH7000
Blowing control lamp



Material: PS
 Product Size: 9.5*9.5*25CM
 LED no : 1PC
 Power: 1W
 Product Weight: 250g
 Pcs/ inner :1pc/box 10.5*10.5*27cm
 Carton Size 12pcs/ctn 43.5*33*29cm
 NW/GW: 4.3/5.0kgs
 Pcs/20' & pcs/40' CY: 35500pcs/73500pcs



BH-105
LED candle Light

Material: ABS
 Specification: The candle Light size: D 4cm H 5cm
 LED no : 1pc LED for each candle light
 Lighting time: up to 8 hrs
 Approval available: CE ROSE
 Package: 1pc/mail box 19.2*11.8*11.6cm
 8pcs/ctn 49.2*20.7*17.4cm
 G.W.: 8KGS N.W.: 7KGS



BH-8008
360 RGB Floor Lamp




Technical Specifications			
Material	ABS	Size	32*32*167CM
Input Voltage	100-240V	Power	16W
LED no	144PCS	Luminance	800-1000LM
Color Temp	6500K	NW	4.6kg
pcs/inner:1pc/box 30.5*12.5*50cm			
Carton size:2pcs/ctn 52*33*28.5cm			
NW/GW:10.1/10.7kgs			
Pcs/20' & Pcs/40' CY: 1260pcs/2600pcs			



BH8026
Touch Control
LED Floor Light

Technical Specifications			
Material	ABS	Size	22.5*18*160cm
Input Voltage	100-240V	Power	12.5W
LED no	51pcs	Luminance	680-950LM
Color Temp	3000-6500K	NW	1.6kg
pcs/inner:1pc/box 50.5*26.5*12CM			
Carton size: 3pcs/ctn 52*28.5*35cm			
NW/GW : 9.9/10.4kgs			
Pcs/20' & Pcs/40' CY: 1024/2208PCS			

BSCI RoHS CE



BH8025A
LED Floor Light

BSCI RoHS CE

Technical Specifications			
Material	ABS	Size	31*20*152cm
Input Voltage	100-240V	Power	12W
LED no	51PCS	Luminance	680-850LM
Color Temp	6500K	NW	1.7kg
pcs/inner:1pc/box 30.5*12.5*50CM			
Carton size:2pcs/ctn 52*33*28.5			
NW/GW : 10.1/10.7kgs			
Pcs/20' & Pcs/40' CY: 1088/2576PCS			



BH7039 Home Air Ionizer



BSCI RoHS CE     

Dimensions: 24" (68 cm H)

Weight: 1980 g

Powered by AC/DC adaptor, 2 speed silent operation

Support: UL, GS, BS, SAA, PSE adaptor available

Color: as customer request

Description: cool streamlined cosmetics, refresh and purify indoor air, millions of negative ions, emitted to destroy airborne bacteria, pollen and smokes

packing: 1pc/box, 38*30*36cm
2pcs/box, 70*40*62cm



BH7024

Classic Home Air Ionizer



BSCI RoHS CE     

Dimensions: 12" (31 cm H)

Weight: 800 g

Powered by AC/DC adaptor, 2 speed silent operation

Support: UL, GS, BS, SAA, PSE adaptor available

Color: as customer request

Description: cool streamlined cosmetics, refresh and purify indoor air, millions of negative ions, emitted to destroy airborne bacteria, pollen and smokes

packing: 1pc/box, 15.8*8.2*33cm
10pcs/ctn 42.5*33.5*35cm

GW. 9.8KGS N.W. 8.5KGS



BH325

Wireless controlled doorbell



BH7080

LED bulb with mosquito killer function



INSECT TRAP

4-in-1 Portable Lantern & Bluetooth Speaker

BH7081

- Bluetooth Steaming
- Dimmable Lantern
- Micro USB Powerbank
- Up To 10hrs Per Charge

BSCI RoHS CE FCC ENEC UL GS SAA CCC

Technical Specifications			
Material	ABS	Size	Dia14*28cm
Input Voltage	3.7V	Power	8W
LED no	12pcs	Speaker	2 inch 3 Ω
Distortion	10%	Bluetooth Mode	Bluetooth V3.0
Electric: USB Input: 5V 500mA output: 5V 500mA			
Fan Power : 1W Low Noise			
Lamp Weight : 687g			
Pcs/20' & Pcs/40' CY: 2720pcs/5630pcs			



BH7064

Solar Pest Repeller
Unit Packing: color box
Product Size: D15.5cm H30.5cm
Product Weight: 280g
Material:ABS and Aluminum Tube
Finish/Color: green&silver
Frequency:Ni-MhAA size 700mA/1.2V 1pc
Coverage: Vop=2.5V Lop=80mA
Package:1pc/box
12pcs/ctn 56*38*28.5cm



BH7069

Solar Ultrasonic Powered Animal Repeller
Unit Packing: mail/color box
Product Size: 11.5*8.5*31.5cm
Product Weight: 0.4kgs
Material:ABS
Finish/Color :green
Frequency:25000Hz
Coverage: 30feet 70 ° angle
Power: 4pcs AA Ni-Mh/Ni-Cd1.2V 600mA
rechargebale battery(included)
Package:1pc/box 15*9*13.5cm



BH7074

Solar Ultrasonic Powered Animal Repeller
Unit Packing: mail/color box
Product Size: 11.5*8.5*31.5cm
Product Weight: 0.4kgs
Material:ABS
Finish/Color :green
Frequency:25000Hz
Coverage: 30feet 70 ° angle
Power: 4pcs AA Ni-Mh/Ni-Cd1.2V 600mA
rechargebale battery(included)
Package:1pc/box 15*9*13.5cm



BH7068

Solar Ultrasonic Powered Animal Repeller
Unit Packing: mail/color box
Product Size: 11.5*8.5*31.5cm
Product Weight: 0.4kgs
Material:ABS
Finish/Color :green
Frequency:25000Hz
Coverage: 30feet 70 ° angle
Power: 4pcs AA Ni-Mh/Ni-Cd1.2V 600mA
rechargebale battery(included)
Package:1pc/box 15*9*13.5cm



BH321

Universal Battery charger
Specification: 19*30*6cm
Net weight:440g
Power: AC/DC adaptor
Mark: your super charger will work with AAA
AA.C.D.9V and 12V rechargeable
(Ni-MH,Ni-Cd)batteries
Package: 1pc/box:18.8*7*34.6cm
12pcs/ctn: 44.5*34.5*40.5cm



BH322

Universal Battery charger
Specification: 19*30*6cm
Net weight:440g
Power: AC/DC adaptor
Mark: your super charger will work with AAA
AA.C.D.9V and 12V rechargeable
(Ni-MH,Ni-Cd)batteries
Package: 1pc/box:18.8*7*34.6cm
12pcs/ctn: 44.5*34.5*40.5cm



BH7062

Ultrasonic Pest Repeller
Unit Packing :white box
Product Size : 11/8D*5L*31/2W
Product Weight : 194.44g
Material : ABS
Finish/Color : white
Package : 1pc/blister:17.5*7.5*21.8cm
36pcs/ctn : 55*50*24.5cm
G.W.:7.2kgs N.W.:6.2kgs



BH8010

Megaphone
Specification : DIA138*L220mm
Battery: 4*1.5V C(not included)
Power: 10W RMS/15W MAX
SOUND COVER:APPROX 200M
PACKAGE:1PC/color box,14*14*22.2cm
12pcs/ctn:44*29.5*47.5cm
G.W.:7.2kgs N.W.:6.8kgs



BH324

Pet Trainer
Unit Packing :clamshell
Product Size :11.5*8.5*31.5cm
Unit Pack 6PCS/inner box ,23.3*17.4cm
Product Weight : 0.2KGS
Material : ABS
Finish/Color: blue
Electric:1pc 9V Alkaline battery (NOT INCLUDED)
Package : 1pc/bilister : 16.7*4.5*23.3cm



BH604

Solar sensor led light
 Material: ABS
 Product Size: 23*17*12.5cm
 LED no.: 12
 Power: 0.8W
 Solar Panel: Vop=6V 80mA single crystal silicon
 pcs/inner: 1pc/box 16.5*14.5*17.5cm
 Cartom Size: 12pcs/ctn 45.5*34*37.5cm
 NW/GW: 6/8KGS



BH061

Solar Sensor led light
 Material: ABS
 Product Size: 13.5*16.5*15cm
 LED no.: 412SMD
 Power: 0.5W
 Solar Panel: 600mA/1.2V
 Pcs/inner: 1pc/box 17*11*13cm
 Carton Size : 12pcs/ctn 52.5*23.5*28cm
 NW/GW: 4.2/4.7kgs
 Pcs/20' & pcs/40' CY: 9700pcs/20000pcs



BH-7028

Moon lamp
 specification : D:25.5cm H:3.5cm
 N.W.:0.5kgs
 Material:ABS
 Led no.:6pcs(1800mcd/astigmatism LED)
 2pcs AAA size for remote control
 Lighting time: up to 8 hours
 Approval available : CE ,ROHS
 Packing: 1pc/box 33*28*8.9cm
 10pcs/ctn,58.5*34.5*47cm
 N.W.:8kgs G.W.:9KGS



BH6000

Solar sensor led light
 Material: ABS
 Product Size: 23*17*12.5cm
 LED no.: 22
 Power: 1.2W
 Solar Panel: Vop=6V 1.2W single crystal silicon
 pcs/inner: 1pc/box 19.5*18.5*15.5cm
 Carton Size: 18pcs/ctn 58*40*50.5cm
 NW/GW: 10.8/11.6KGS



BH150

E26-Sensor lamp holder
 Specification: AC100-240V/50-60HZ max
 150W, PBT plastic shell
 Approval available : UL
 Package: 2pcs/blister card
 48 sets/ctn: 54*24*30.5cm



BH152

E27-Sensor lamp holder
 Specification: 4.3*4.3*8cm
 Technical information 100-240V/50-60HZ max 150W
 PBT plastic shell
 Approval available : CE and ROHS
 Package: 1pc/white box
 60pcs/ctn: 52*31*23.5cm



BH7016

White Tent Lamp
 Specification: 13.5*13.5*4cm
 N.W.: 0.2kgs
 Material: ABS
 Led no.: 24pcs
 Battery: 4pcs*AA size 1.5V(not included)
 Approval available: CE ROHS
 Packing: 1pc/clamshell, 7.5*11*22.5cm
 24pcs/ctn, 48.5*36*35cm
 N.W.: 4.8KGS G.W.: 5.3KGS



BH7015


LED Umbrella Light
 Umbrella lamp(remote is also available)
 Specification: 175mm, H55mm
 N.W.: 0.4Kgs
 Material: ABS
 Led no.: 24pcs "AA" size 1.5V
 Lighting time: up to 8 hours
 Approval available: CE, ROHS
 Packing: 1pc/clamshell 31*23*7cm
 12pcs/ctn, 40*40*35cm
 N.W.: 5KGS G.W.: 6.5KGS



BH-M201 LED Mirror Light

Material: Aluminum+ABS
Package dimensions: 17*2*1.5 inches
Power source: Battery-Powered
Wattage : 2.5watts
Switch style : Push button
Amperage capacity: 1600 microamps
Included components : Batteries 3M-
-Adhesive Magnetic Strip,USB cable

- 62 LED
- 1600mAh Battery
- Motion Sensor
- Motion & Light Sensor
- Easy Installation



Motion & Light Sensor

LED 62 LED

Rechargeable Battery

Energy Saving

Easy Installation

CHOOSE
YOUR COLOR

WARM WHITE
3000K



CLEAN WHITE
4000K

BRIGHT AND EVEN

BH-M401 LED Mirror Light

Material: Aluminum alloy,Acryl
Package dimensions: 24*0.4*1 inches
Power source: Battery-Powered
Wattage : 9 watts
Switch style : Touch switch
Area light classification : IP21
Included components : Batteries 3M-
-Adhesive Magnetic Strip,USB cable




Slide Switch

Model 1: Left
Model 2: Always On
Model 3: Automatic Sensing (Motion/Light/Sound)
Model 4: Automatic Sensing (Power Saving) (Light/Sound)

- Li Battery
- 14 LEDs
- Wider
- 4 Modes
- Softer



BH-M301



LED Mirror Light

Material: Aluminum+ABS
Package dimensions: 9.1*1.5*0.6 inches
Power source: Battery-Powered
Wattage : 1.00
Switch style : Slide switch
Specific Uses : General purpose
Included components : Batteries 3M-
-Adhesive Magnetic Strip,USB cable

BH-M501 LED Mirror Light

Material: Metal ,plastic
Package dimensions: 11.8*1.1*0.4 inches
Power source: 12V DC Power supply
Wattage : 10.5watts
Luminous Flux : 690lm
Color : Warm / White
Area light classification : IP20
Included components : Batteries 3M-
-Adhesive Magnetic Strip,USB cable





BH-F201 LED Security Light



Material : PC+Aluminum
Package dimensions:8.3*7.7*6.8inches
Color : Motion security light(Black)
Wattage : 28 watts
Luminous Flux : 2500 lm
Power source : Corded-electric
Item weight : 2.05 pounds
Special Features:Super Bright,motion sensor Adjustable Head,IP65



IP65
Waterproof



BH-F401

360°Rotatable
180°Slip



Material : Aluminum
Package dimensions:11.1*6.5*6.1inches
Color : Motion security light(Black)
Wattage : 20 watts
Luminous Flux : 2000 lm
Power source : Corded-electric
Item weight : 2.18 pounds
Special Features:Super Bright,motion sensor Adjustable Head,IP65




BH-F301



Material : metal
Package dimensions:7.5*7.5*6inches
Color : Daylight(5000K)
Wattage : 20 watts
Luminous Flux : 1800 lm
Power source : Corded-electric
Item weight : 15.4 ounces
Special Features:Super Bright,motion sensor Adjustable Head



BH-F501



Material : High strength PC+Metal
Package dimensions:10.8*8.5*7inches
Color : 3-head 39W security lights White
Wattage : 40 watts
Luminous Flux : 3500 lm
Power source : Corded-electric
Item weight : 2.85 pounds
Special Features:Super Bright,motion sensor Adjustable Head,IP65



Not be triggered in the daytime



Infrared sensing function (at night)



BH-F601

Material : Metal
 Package dimensions:5.9*6.9*5.9inches
 Color : Bronze
 Switch Style: motion sensor
 Power source : battery-powered
 Item weight : 1.5 pounds
 Special Features:LED last 100,000 hours
 Motion activated



BH-F801

Material : Plastic
 Package dimensions:10.7*3.6*3.9 inches
 Color : Brown
 Wattage : 2 watts
 Power source : Battery powered
 Item weight : 13.8 ounces
 Special Features:Motion-Sensor



BH-F701

Material : Plastic
 Package dimensions:4.7*3.5*6.7inches
 Color : Dark Brown
 Wattage : 2 watts
 Power source : Corded-electric
 Item weight : 9.9 ounces
 Special Features:Motion-Sensor



BH-F901

Material : Metal
 Package dimensions:8.2*8.2*5.5inches
 Color : Black
 Wattage : 26 watts
 Luminous Flux : 2400 lm
 Power source : Corded-electric
 Item weight : 2.25 pounds
 Special Features:Not Dimmable



Light Sensor Laser Light (Green/Red)

BH611

Operating: Outdoor/Indoor
Operating Temp: 31°F TO 100°F
Power Input: 100V—240V AC
Maximum Power Output: Less 5mW
Wavelengths: 532nm, 650nm
Projection Coverage: Over 3200 sq. ft.

小家电系列 Other Series

Light Sensor Led Celebration Light (Hallowmas/Christmas)



BH608

Material: ABS
Finish/Color: black or white
Product Size: 23*17*12.5cm
Adapter: DC 12V
Accessories: pin, screws
Bulb(LED/Halogen/energy saving):
4pcs*1w High Bright LED (green, red, blue, white)
Lighting time: Lighted on when in dark and off daytime
Cert: ul for adapter
Color box/Blisther; color box